# Approved For Release 2005/06/01 : CIA-RDP80-00809A000500760039-3

INTEL	LOFAX 29	CENTRAL INTELLIGE INFORMATION	NCE AGENCY	
, c	COUNTRY : υ	SSR	25X1	DATE DISTR. 25 APR IL 52
s	UBJECT : Ai	rea Description of Podbere	sje, USSR	NO. OF PAGES 12
l P A	LACE CQUIRED		25X1	NO. OF ENCLS. 1
	ATE CQU1RED		25X1	SUPPLEMENT TO REPORT NO.
	ATE OF INFO	RMATION  INFORMATION AFFICTIONS THE ANITOMAL DEFENSE OF THE PROPERTY OF THE PR	THIS IS UNE	EVALUATED INFORMATION
			4.17	
25X 25X 25X	1 Dessau,	Statements See Enclosure the Junkers Airc Germany and transferred to	eraft Group	was moved from October 1946.
2 25X		Installations and Points of an overlay of USAF Target 0154-9852-25M of Ivankovo	Complex Mosai	ee Enclosure (A), c 4: N = 37° 09' E);
20/	Point 1	Lake Moscow		,
		There was a gentle slope the center of the lake wh depth of two-three meters marked by buoys for ship led from the entrance to 50), in the direction of The buoys were red and wh marker buoys, about 250 m.75 to 1.0 m in diameter  25X1	aich probably h There was a and barge traf the Moscow-Vol Kalinin (56° 5 ite vertical s apart. They and had steady	ad an average special channel fic. This channel ga. canal (point 0' N 35° 55' E). triped conical were about

FORM NO. STELLE

	SECRET 25X1
	25X1
25X1	there was surprisingly little traffic on this lake On some days there were no ships or barge-trains to be
25X1	seen, and on other days I noticed only two or three barge- trains.
25X1 25X1	passenger traffic between Moscow to Kalinin, but I have no knowledge of volume or schedules. Dredging equipment was never seen. The lake froze over in winter, usually during the middle of November, and could not be used by ship traffic until the middle of March. Ice-breakers were never seen the lake had been
Bodnt O	frozen completely in the winter of 1946.
Point 2	The water-level of the lake varied from one to 2.5 m above the ground level of the plant (point 7), depending upon the time of the year, which influenced the amount of water in Lake Moscow. The lake side of the dike was lined with a facing of gray "basalt" stones of varying sizes. The plant side was grass covered earth.
Point 3	Road
	It was a dirt road about five m wide covered with small stones. It ran the length of the dike in the northern direction.
Point 4	Troop Maneuver Area
	This area, consisting mostly of marsh land, was used as a troop maneuver area during the months of August and September of every year
25X1	
25X1	
25X1	it was malarial and was infested with adders and vipers.
Point 5	Sand Dune
25X1 25X1	sheltered area had once been used as a seaplane anchorage,
Point 6	Fence
	Three m high. Dural sheets formed the bottom half of the fence; spaced dural extrusions formed the top, akin to a picket fence. It was in good condition and completely enclosed the development plant on three sides.

# Approved For Release 2005/06/01 : CIA-RDP80-00809A000500760039-3

	25X1
Point 7	Plant Area
25X1 25X1	This was the area of Development Plant No 1 (Zavod #1) at Podberesie.
Point 8	Road
25X1	Concrete, 10 m wide. It led from the main building (point 9), over the dike (point 2), and into the lake. It was used to transport the EF-140 (V-3) from the plant to the airfield at Borki. This was the only time that this facility was used for transporting material.
Point 9	Main Building
	It contained the workshops and some of the offices of the Junkers and Siebel groups. The mosaic was not sharp enough to show the definite "I"-form of the building.
Point 10	Building
25X1 25X1	This group of buildings was no longer standing in September 1950.
Point 11	Building
25X1	This building, the former plant boiler house, was no longer standing It was replaced by another boiler house.
Point 12	Fire House
•	Brick building, 30 x 20 x 8 m with a slate covered, gable roof. There was a 16 m high wooden tower continually manned by a fire look-out. The fire department had one fire truck with a motor driven pump and one fire truck with hoses. Further details are not known.
Point 13	Post Office
	This wooden blockhouse, 24 x 8 x 8 m, two-storied, gable roof, slate covered, housed the post office and also a bar.
Point 14	Police Building
+ .**	This was a wooden building 24 x 8 x 8 m, two-storied, gable roof, slate covered. It housed the local militia of the MVD.
Point 15	Club House
	The building material was unknown as it was stuccoed and painted white. It was 35 x 15 x 5 m, slightly gabled wood roof, tarnaper covered. It was known as "Klub Savoda" (Plant Club). It was used for Communist Party meetings, dances, court sessions, movies, etc. Germans could rent it for concerts or other presentations.

25X1 \_\_\_\_\_\_ 25X1 \_\_\_\_\_

#### Point 16 Barracks

This was a German PW camp prior to September 1947. The buildings were later used as living quarters by the Soviets working in the development plant.

## Point 17 Blockhouses

Three wooden blockhouses, 22 x 7 x 8 m, two-storied, gable roofed. They were used for Soviet dwellings.

#### Point 18 Market Place

It was open every day but only foodstuffs were sold.

## Point 19 Roads

Most of the roads in Podberesje were paved. On the enclosure of this report, the streets and roads are coded to indicate the type of surface. The one indicated as "brick dust", was covered with finely crushed bricks from the torn-down shurch, (Point 20). It was known as "Kirchstrasse" by the Germans. The "dirt roads" were just that, for all practical purposes, even though some of them were covered with small stones picked up from the nearby fields and thrown on the roads. This field stone (feldstein) surface sank into the mud during thaws or rainy seasons. The road leading to Kimry (560 44% N - 370 18% E) was of the dirt or field stone type from Point 20 on. It was about 6 m wide. It was impassable for cars and trucks during the thawing and rainy seasons. During winter, all signs of a road disappeared and communication with Kimry was cut off except for sleighs. I do not know whether any of the streets had names or not. The name "Kirchstrasse" was applied by the Germans and was definid by not official.

#### Point 20 Former Church Site

25X1 the church was torn down and there was no building standing there in September 1950.

# Point 21 Athletic Field

## Point 22 Plant Restaurant

Brick building, U-shaped, two-storied gable roof covered with red tiles. The base was about 45-50 m long, the north side about 35 m long and 12 m wide, the south side about 25 m long and 10 m wide. Known as "The Hotel", it had rooms which could be rented for various purposes parties, chess club meetings, etc.

# Point 23 Garage

Brick building, 80 x 80 x 8 m, two-storied, slightly sloping flat roof, tarpaper covered. Each wing had a triangular, steel frame glass skylight running lengthwise. It contained four 7.5-ton Mack trucks, five 5-ton Mack trucks, fourteen 3-ton Zis trucks, and two 1.5-ton Zis trucks; eight passenger cars, all of German make; two snowplows and two caterpillar trucks; and two 3-ton fueltank trucks, used for hauling liquids used by the Siebel

	SECRET 25X1
	25X1
25X1	group from the railroad siding near the locks (point 35), to the plant (point 7). The second floor contained offices, including the plant telephone exchange. There were six women engaged as operators, with three shifts, and two operators per shift. The telephone line to Moscow went through the administration office of the lock (point 35), and calls were only but through if the operators there "felt like it".
25X1	
Point 24	Apartment Buildings
	The corner buildings were four stories high, built of brick, and had gable roofs covered with grey tiles. The others were two-storied. The buildings in the center were a school and a nursery for Soviet children only.
Point 25	Dwelling Houses
	Wooden prefabricated houses, inhabited by managerial German personnel.
Point 26	Dwelling Houses
	Wooden prefabricated houses, inhabited by German personnel. They were smaller and closer together than those in point 25 and regularly spaced.
Point 27	Sewage Disposal Plant
	There were eight basins for sludge treatment. After the water had been removed, the remaining material was trucked away to be used as fertilizer by a kolchose in the vicinity
Point 28	Dwelling Area
•	This area was covered with wooden blockhouses inhabited by the Soviets. The block houses were of various Cimensions, since they were built by the people living in them. They were about 5-6 m from each other.
Point 29	Spillways
	There were four spillways, each about six m wide. They were separated by reinforced concrete constructions about six m wide. Soviet fishermen angling on the north side of the Volga River told me that each spillway supplied water to two turbines, and I believe that the construction was large enough to do so. There was about eight m difference between the Lake Moscow level and the Volga River level. Water came out of the turbine houses in continuous flow there were no separate outlets. The steel spillway gates could be opened, but I do not know
25X1 25X1 25X1	how. The asphalt road over the concrete arch spillways was about 3.5-4 m above the level of Lake Moscow, depending upon the time of the year. There were two heavy portal (jib) cranes, full revolving, running on three tracks on the Lake Moscow side of the spillway dam.

They were electrically driven

25X1

25X1

	25X1
	25X1 SECRET
	25×1 -6-
Point 30	Hydro-electric Fower Plant
	Name unknown - brick building, about 150-200 m long, width unknown, about 15 m high, gable roof covered with red tiles. The northern side was almost all windows, about 5 m high and 2 m wide.
/ 25X1	This plant supplied power to Moscow,
25X1	according to rumors heard in the development plant, and the high tension line (point 42), would seem to sub-
25X1	stantiate this belief. it was constructed during the period when the Moscow-Volga Canal was built.
25X1	This plant also supplied power to Podberesje. It went through a transformer station in the plant (point 7), and
25X1	a switching house in Podberesje.
25X1	
25X1	the voltage coming to the plant (point 7), was 10,000 V.
Point 31	<u>Dam</u>
25X1	Vertical on both sides to the water level. It had a grey "basalt"
25X1	stone facing.
Point 32	Breakwater
	3.5 m above water level. Faced with grey basalt blocks. No lights were ever seen on the tip of the breakwater.
Point 33	<u>Statues</u>
	3 m high statues of Stalin and Lenin, standing on granite bases about 2.5 m high. They were floodlighted at night.
Point 34	Tronel
25X1	This tunnel under the Volga River was for the road from Podberesje to Dmitrov (56° 17° N - 37° 30 E) and Moscow. Its overall length was about 150 m. It was 10 m wide which included a 1 m sidewalk on each side of the road. A sign in Russian stated that trucks could not be above 4.25 m high when going through it. The tunnel had concrete walls and arches. The approaches to the tunnel were faced with grey basalt stone blocks.
25X1	
25X1	There were recesses inside the tunnel, but their purpose is not known. Telephone or fire equipment was not observed in the tunnel. The guards at each entrance had telephones. It had natural draft ventilation. I have no details regarding traffic, except that Zavod #1 trucks could not go through the tunnel during the hours of 2200 to 0600 without the
25X1	Soviet Plant Director getting special permission.
25X1	Snow fell in this area from mid-November to mid-April, but there was no peak snow period and the tunnel was never
25X1	blocked. There were no fog periods noticedno information on drainage. There was a guard house at each
.*	entrance, containing four-five military guards, who were Soviet uniforms and were armed with carbines. They operated toll-pike barriers at each entrance.

	25X1
	SECRET
	25X1
Point 35	Lock
25X1	Reinforced concrete construction, 150-170 m long, 12 m wide. It raised or lowered ships about 8 m. The gates, thickness unknown, were hinged at the bottom and swung westward into the water.
25X1	about fifteen minutes to raise the ship. Lights were noticed on the eastern end at night. Soviet Navy guards were stationed at each end of the lock, armed with carbines.
Point 36	Gate Houses
	Two buildings, housing the electrical machinery required to raise and lower the lock gates, were located at each end of the lock. Dimensions or other details are not known.
Point 37	Lending Platform
	Wooden construction, 12 x 4 to 5 m. Passenger ships would stop there occasionally for large groups taking an excursion on the Volga River. It was also used for unloading coal destined for the development plant boiler house. It was brought from here to the plant by trucks. The trucks were loaded by hand. No cranes were available.
25X1	
Point 38	Volga River
25X1 25X1 25X1 25X1	Used for both barge and passenger traffic. The largest barge observed was steel, about to 70-80 m long, 6 m wide, diesel-powered. Other barges were towed with side-wheeler tugs, coal-fired. Open and hatch type barges were seen, lumber rafts were quite frequently seen going toward Lake Moscow. The open barges were very low in the water. Barge-trains up to four and five barges were seen, towed by one or two tugs. The tugs sometimes traveled abreast on Lake Moscow. a barge loaded with truck and automobile tires soing through the lock (point 35), on a passenger ship. Various sizes of passenger ships were seen. one which was 30-40 m long, with a beam of about 6-7 m, which I estimate carried about 350 passengers. Its draft is not known. It was screw-driven, diesel-powered. The Volga was not navigable during winter, but the freezing period depended on the severity of the weather. No ice-breakers were see. on the Volga. Sand-bars or other obstructions were not noticed in the middle of the stream.
Point 39	
25X1	Reinforced concrete, about 150 m long, 8-13 m wide. A number of buildings were located near it, but their purpose and dimensions are not known. No cranes were noticed.  Passengers going to Kimry, Kalinin, or Moscow
25X1 25X1	boarded their ships here. There was a passenger ship leaving here for Moscow at 0730 and another 1730. This trip took about five hours, according to Germans who had
,	made the trip. There were ships making the Moscow-Kimry run which also stopped here
25X1	They carried first, second and third class



	25X1			
	25X1 SECRET			
•	25/TI			
25X1 25X1 25X1	passengers. The quay was also used by Moscow-Kalinin ships; their schedule is also not known. The trip to Kimry took about two hours on the passenger ship mentioned in Point 38 motor boats loaded with buoys heading for Lake Moscow from this point, and they were serviced by men stationed there.			
Point 40	Bolshoi Volga			
Point 41	Breakwater  About 2.5 to 3 m above the level of the water, faced with grey basalt stone blocks. It had a marker light			
Po1nt 42	migh Tension Line (35KV)			
25X1	Steel towers, 8-14 m high, varying according to the terrain. Three cross-bars, each about 5 m long, carrying two cables each. The cross-bars were 1.5 m apart.			
Point 43	Railroad			
25X1 25X1 25X1	Single track, Soviet gauge. It ran on an embankment varying from .5 to 4 m above the marshy ground.  25X1  1s included further to the East, so the extension is included on the accompanying sketch. This line was not used for passenger traffic except for one time when the Germans who were returned to Germany in September 1950 were loaded into trains on the siding shown. The station was known as the Bolshoi Volga station, although it was closer to Ivankovo, point 44 below.			
25X1	siding from Dmitrov. The liquids were then transferred			
25X1	to tank-trucks and brought to the plant.			
23/1				
Point 44	Ivankovo			
25X1 25X1	than Podberesje, but have no information on population, industries, etc. the shops there contained more goods than in Podberesje, since it belonged to Moskovskaya Oblast.			
Point 45	: 45 Bridge			
25X1 25X1	Continuous span, steel plate girder bridge about 80-100 m long. Reinforced concrete embankments on each side and one in the center.			
25X1	locomotives with 4-5 enclosed freight			

	25X1			
	25X1			
	<del>-</del> 9-			
Point 46	Munitions Plant			
25X1	about 3.5 m high, including the roof, and about 2.5 m in diameter. They were gray, but no knowledge of the material which was used in construction. These by iddings			
25X1	had a 40-50 cm space between the side and the roof, and these openings were intended to reduce the blast effect of an explosion			
25X1 25X1 25X1 25X1 25X1 25X1 25X1	of buildings in a munitions plant in Germany.  a very high building about 7-8 stories high in back of the others (point 47) and this was an administration building, since it had many windows (like an office building) facing the Volga River. Full observation of this area was limited by trees growing on the plant area and the shore line.  The area was restricted and anyone approaching it was warned away at			
25X1	wire fence and a guard tower			
25X1 25X1	vicinity. considered this plant to be a "munitions plant", since the Soviet workers in this plant referred			
25X1	to it by their term for munitions. These workers. lathe operators and other machinists,			
25X1	were considering leaving the development plant and			
25X1	going to work in the munitions plant across the river, because they could earn more money there.			
25X1	many lathe operators were required in the munitions plant and assumed, therefore, that shells were being			
25X1	The state of the s			
25X1	they had encountered German women who were penal laborers in the plant.			
Point 47	Building			
Approximate location of ostensible administration building belonging to the "munitions plant". It was built of a reddish material, probably brick and was about 150-170 m long. Two stories were visible above the trees in the area. Other dimensions and roof type are not known.  No smokestacks were seen.				
Page 48	<del>Terry</del>			
	For passengers and vehicles. It could carry a three-ton truck. I crossed here once on my way to Konakova (56° 42° N - 36° 50° E).			
Point 49	Road			
	Led to Konakova. It was a dirt road, about 5 m wide, in very poor condition.			
Point 50	Moscow Volga Canal			
25X1 r	The banks were lined with grey baselt stone blocks.			
L	There were no buoys in the canal. There were cight locks between the entrance and Moscow.			

		SECRET 25X1	
•		25X1	
	Poin	51 Road	
		This road was asphalt, about 8 m wide, and in good condition It led to Dmitrov and Moscow.	
	Poin	52 Stream	
	Name unknown. It was led under the canal by means of a viaduct; diameter of other details are not known.		
	Poin	2 53 Pumping Stations	
		X1 One on each side of the canal. X1	
	Poin	54 Ferry	
		For passengers and vehicles.	
`3∙	Phys:	cal Characteristics	
25X1	southern side of the Volga River had banks about 4.5 m high. Coniferous trees were the only trees growing in the area. The ground north of Podberesje was quite marshy. The development plan area was one-two m below the level of Lake Moscow, depending upon the time of the year. Most extreme temperatures reached were mine 45° C in winter and plus 42° C in summer. Areage in winter was -30°C and in summer 35°C. The district was melarial during the summer and atabrine was distributed to the workers during this period. The area was also dusted by a Soviet biplane two or three times a week during summer. The material was greenish yellow in color.  25X1  atabrine. These tablets were used by the German wives as dye-stuffs. Two blood tests a year were taken of the workers to see if they were carrying the germ. Each person also received a yearly vaccination against typhus. There was a typhus epidemic in 1947, and 11 Soviets died in Podberesje. Other epidemic disease outbreaks did not occur during my stay. The natives attempted to grow rye, potatoes and turnips on their land, but with very little success, as the soil was too sandy.		
4.		trial and Economic Characteristics	
	(a)	The aircraft development plant (point 7), the munitions plant (point 46), and the power plant (point 30), were the only important installations. The canal and locks, were, of course, important for transportation. Those Soviets who were not employed in one of these places were either engaged in commercial activities or fishing. As stated previously, the condition of the soil was not conducive to successful farming.	
25	(ъ) 5X1	There was no airfield in the immediate vicinity of Podberesje.  Small courier planes occasionally landed in an open meadow south- east of the sewage disposal plant (point 27). There were no runways or other facilities.	
	:Y1		

		25X1[]
	•	SECRET
		25X1
		-11-
5.	Pol1	tical and Sociological Characteristics
	(a)	Podberesje belonged to the Kimry Rayon and the Kalininskaya Oblast. It had a mayor, name unknown, presumably appointed by Rayon headquarters in Kimry. The MVD had offices in the southern wing of the plant restaurant (point 22), and in the
	25X1	station (point 14). The MVD also had representatives in the development plant; namely Jurschin and P P Smirnow.
	25X1	Distribute present present our sentent and 1 1 bing 110 m.
	25X1	about 10% were unmistakably Mongolians,
	20/(1	according to their features, eyes, complexion and hair.
	(b)	Most of the houses were wooden, either the usual Soviet blockhouses or Finnish prefabricated houses, which were being constructed in the newer, southern part of Podberesje. The newer houses had a sewage system, whereas the others, primarily along the road to Kimry, had none. The only
	25X1	masonry houses were those occupied by the Germans (point 24).  these apartment buildings had been constructed by Americans in 1936. These buildings had central heating.
	25X1	supplied from the plant boiler house, and running water. Water was pumped from a well in the plant to these buildings, but there was very little pressure. In summer, had to
	25X1	
	25X1	A pail of water sometimes had an inch of residue. There was no gas in the town. Cooking was done with electricity, wood, or oil stoves.
	(c)	Electricity should have been 220 v, but it usually fluctuated between 160-210 v. Podberesje had a monthly current
		consumption limit and when it was reached the current would be cut off. In order to spread out the allotment, current was cut off at certain times each day. These times were not defi- nitely fixed, but varied with the rate of consumption and the time of the month. Current was nearly always available from C500 to 0700, 1100 to 1300, and 1700 to 2000 hours. In
		winter, current was seldom available after 2200 hours. The hotel, apothecary, stores, and some dwellings were on a special line which was never cut off intentionally. These excepted dwellings were usually those of the more important people in the community of the plant.
	25X1 <sub>1</sub>	been in one commutate of one brants
	25X1	
		Dwelling houses in the newer (the southern) part of Podberesje were connected to a water system. Water was supplied by a well in the development plant and pumped from the boiler house. The older part had wells and hand pumps. There was no metering system, and some inhabitants of the newer part of Podberesje had huge sprinkling installations to water their vegetable gardens.

There were five doctors in the town. There was a Soviet doctor in the plant, as well as three nurses, for first-aid only. Serious cases were sent to Kimry where X-Ray equipment was available. Dentistry was also done in Kimry.

#### Approved For Release 2005/06/01: CIA-RDP80-00809A000500760039-3

		25X1	
25 <b>X</b> 1 [	SECRET	•	
23/11-	‴15°.		

6. Security Systems and Measures

The Soviets all carried identification cards with attached photographs.

The Germans never carried identification cards, but were not supposed to leave Podberesje for any reason without an MVD guard dressed in civilian clothes. This also applied to the Junkers Chief Designer, Baade, even when he was on official business and commpanied by his boss, the Soviet Plant Director. At Dmitrow, there was a check made at the ticket windows but not on the trains. To avoid this, the German women would catch a ride on a truck to Kimry where there were no controls and then take the train through Dmitrow to Moscow. The guards at the tunnel are described under point 34.

Quards, armed with carbines, were also stationed at the spillways (point 29), the hydro-electric plant (point 30), the locks (point 35), and at the pumping stations (point 53).

-end-

ENCLOSURE: (A) Overlay of USAF Target Complex.

Mosaic-Series 25 (0154-9852-25M) Ivankovo, USSR







